

**Kills the
Root!**

**MONEY BACK
GUARANTEE!**

Spectracide®



WEED & GRASS KILLER₂

Herbicida para pasto y maleza₂

Visible Results as Fast as 3 Hours

Rainfast in 15 Minutes! • Kills Over 155 Types of Weeds as listed

Use on patios, walkways & flower beds

†For terms of guarantee, see back panel.

KEEP OUT OF REACH OF CHILDREN
CAUTION See back booklet for additional precautionary statements.

MANTÉNGASE FUERA DEL ALCANCE DE LOS NIÑOS
PRECAUCIÓN Consulte el folleto en la parte posterior para conocer las declaraciones preventivas adicionales.

Net 1 gal
(128 fl oz / 3.7 L)



17-139105

Active Ingredients:	
Diquat Dibromide.....	0.12%
Fluazifop-p-butyl.....	0.06%
Dicamba, dimethylamine salt.....	0.04%
Other Ingredients.....	99.78%
Total.....	100.00%

Spectracide®

WEED & GRASS KILLER₂

Herbicida para pasto y maleza.

WORKS THE FIRST TIME, EVERY TIME

 Rainfast in 15 Minutes!

 Replant Flowers, Trees & Shrubs the Same Weekend!

 Kills the Root!

 Fast-Acting!

 Eliminates Weeds, Guaranteed![†]

 Systemic Formula

PRODUCT FACTS

WHAT IT DOES:

Kills all types of weeds and grasses down to the root.

WHERE TO USE:

Outdoors: On patios, lawns and driveways; around flowers, shrubs and trees; along fences and foundations; and in large areas.

WHEN TO USE:

For best results, apply during warm, sunny weather (above 60°F).

QUESTIONS & COMMENTS:

Call 1-800-917-5438 or visit our website at www.spectracide.com

GUARANTEED RESULTS OR YOUR MONEY BACK

If you are not satisfied with this product for any reason, send your written request for a refund to the address below, together with the original dated store receipt showing the price you paid. Please allow 6-8 weeks for processing.

NOTICE: To the extent required by applicable law, buyer assumes all responsibility for safety and use not in accordance with directions.

NOTA: Hasta el grado que sea compatible con la legislación pertinente, el comprador asume toda la responsabilidad para seguridad y uso que no estén de acuerdo con las instrucciones.

Distributed by Spectrum Group, Div. of United Industries Corp.
PO Box 142642, St. Louis, MO 63114-0642

EPA Reg. No. 96888-293-8845 EPA Est. Nos. 39754-WI-1 (R),
9688-MO-1 (U), 79533-WI-1 (BT), 39609-MO-1 (BM), 58996-MO-1 (AE),
11623-GA-1 (CK), 11623-GA-3 (CN)

Circled letter is first letter of lot number. 17-13906 © 2011 UIC

PROOF OF PURCHASE

FPO UPC
0 71121 96017 7

ABRA AQUÍ **PEEL HERE**
ETIQUETA RESELLABLE **RESEALABLE LABEL**

STOP Read entire label before use.
Atto. Lea toda la etiqueta antes de usar.

KILLS MOST COMMON WEEDS AND GRASSES INCLUDING: /
MATA LA MAYORIA DE LAS MALEZAS Y PASTOS COMUNES, INCLUYENDO:

- Annual weeds and grasses: / Malezas y pastos anuales:
- Annual bluegrass
 - Annual ryegrass
 - Barnyardgrass
 - Beggarweed
 - Black medic
 - Blue mustard
 - Blue toadflax
 - Brassbuttons
 - Bromegrass
 - Bur clover
 - Buttercup
 - Cheeseweed
 - Chickweed
 - Clover
 - Common groundsel
 - Common lambsquarters
 - Common plantain
 - Common ragweed
 - Crabgrass
 - Creeping beggarweed
 - Diffuse lovegrass
 - Dog fennel
 - Evening primrose
 - Fall panicum
 - False dandelion
 - Fennel
 - Fiddleneck
 - Field pennygrass
 - Field sandbur
 - Filaree
 - Florida pusley
 - Foxtail
 - Garden spurge
 - Goosegrass
 - Green foxtail
 - Hemp sesbania
 - Henbit
 - Horseweed/marestail
 - Ironweed
 - Knotweed
 - Lambsquarters
 - Little bitter cress
 - London rocket
 - Maiden cane
 - Mallow
 - Mayweed
 - Mouseear chickweed*
 - Oxalis*
 - Pennsylvania smartweed
 - Pennywort
 - Pigweed
 - Prickly lettuce
 - Prostrate spurge
 - Puncture vine
 - Purslane
 - Redroot pigweed
 - Sandspur
 - Shepherdspurse
 - Smartweed
 - Smooth cat's ear
 - Smooth pigweed
 - Sowthistle
 - Spotted spurge
 - Sprangletop
 - Spurges
 - Tansy mustard
 - Tansy ragwort
 - Teaweed
 - Texas panicum
 - Tumble mustard
 - Velvetleaf
 - Wild geranium*
 - Wild mustard
 - Witch grass
 - Yellow nutgrass
 - Yellow oxalis (and many other annual grasses and weeds)

Perennial weeds, grasses and brush: / Malezas, pastos y matorrales perennes:

- Alder
- Artichoke thistle
- Bahiagrass
- Barnyardgrass
- Bentgrass
- Bermudagrass
- Bluegrass
- Broadleaf plantain
- Brownseed paspalum
- Buckhorn plantain
- Bull thistle
- Canada thistle
- Cattail
- Cleanthus
- Centipede grass
- Cocklebur
- Cogongrass
- Common mullein
- Common ragweed
- Coral bead
- Creeping Charlie
- Curly dock
- Dallisgrass
- Dandelion
- Dewberry
- Dog fennel
- False dandelion
- Fescue species
- Field bindweed
- Guinea grass
- Hairy crabgrass
- Horse nettle
- Horse radish
- Iceplant
- Johnsongrass
- Kentucky bluegrass
- Kikuyu grass
- Knapweed
- Knowel
- Lantana
- Maiden cane
- Milkweed
- Mouseear chickweed*
- Nimbewill
- Nutgrass (nutsedge)
- Oldenlandia
- Orchardgrass
- Oxalis*

* annual or perennial *perennial weeds cont. on next page /*
continúación de malezas perennes en la siguiente página

Perennial weeds, grasses, brush continued/Continuación de malezas y pastos y matorrales perennes

- Pampasgrass
- Pennywort
- Perennial ryegrass
- Plantain
- Purple cudweed*
- Purple nutsedge
- Quackgrass
- Quaking aspen
- Ragweed
- Red clover
- Smooth bromegrass
- Sourdock
- Sowthistle
- St. Augustinegrass
- Tall fescue
- Tansy ragwort
- Timothy
- Torpedograss
- Trumpet creeper
- Vaseygrass
- Virginia creeper
- White clover
- Whitetop
- Wild barley
- Wild blackberry
- Wild carrot
- Wild morning-glory
- Wild oats
- Yarrow
- Yellow nutgrass
- Yellow starthistle
- Zoysia
- *annual or perennial

STOP Read entire label before use.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. *For outdoor residential use only.*

DO NOT allow people or pets to touch treated plants until the sprays have dried.

APPLICATION RESTRICTIONS

Do not apply this product in a way that will contact any person or pet, either directly or through drift. Only persons applying this product may be in the area during application.

USER SAFETY RECOMMENDATIONS

- Clothing and protective equipment exposed to this product should be washed in detergent and hot water. Such items should be kept and washed separately from other laundry.
- Users should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Users should remove clothing and protective equipment immediately after handling this product. As soon as possible, wash thoroughly and change into clean clothing.

HOW TO USE

Spectracide® Weed & Grass Killer, is pre-mixed and ready to use and is formulated for "spot" treatment of weeds and grasses. Use it on driveways and walkways or around fences, trees, flower beds, shrubs and other areas in your yard.

BEFORE USE:

1. Shake well before each use.
2. Peel sticker from flip-top cap and open cap. Discard sticker.
3. Remove sprayer from its slot beneath the bottle handle and remove and discard plastic wrap. Pull black hose tip to completely extend tubing.
4. Firmly press black hose tip into opening in cap until it snaps into place.
5. Hold sprayer above the level of the container and prime by pumping trigger several times until product is dispensed.
6. Adjust nozzle to desired setting.

AFTER USE:

7. To store, turn sprayer nozzle off.
8. DO NOT disconnect hose.
9. Return sprayer to its slot. Hose can be pushed back into sprayer handle.

HOW TO APPLY

- Completely wet the leaves of the target vegetation. Do not overspray.
- Sprayed plants begin yellowing and wilting in about 24 hours, with complete kill, including the roots, in one to two weeks.
- Protect desirable plants with a piece of plastic or cardboard.
- If desirable plants are accidentally sprayed, wash plants with water immediately.
- Do not mow, cut or otherwise disturb treated vegetation, weeds or plants for at least seven days following application.
- Do not use on or around edible feed or food crops.

WHEN TO APPLY

- For best results apply during warm, sunny weather (above 60°F) when weeds are

ALTO Lea toda la etiqueta antes de usar.

MODO DE EMPLEO

Se considera una violación a la ley federal usar este producto de una manera que no sea la indicada en la etiqueta. *Sólo para uso residencial al aire libre.*

NO permita que las personas ni las mascotas toquen las plantas tratadas hasta que los rocíos se hayan secado.

RESTRICCIONES DE APLICACIÓN

No aplique este producto de modo que entre en contacto con personas ni mascotas, ya sea directamente o por arrastre. Solamente las personas que apliquen este producto pueden permanecer en el lugar durante la aplicación.

RECOMENDACIONES DE SEGURIDAD PARA EL USUARIO

- La ropa y el equipo de protección expuestos a este producto deben lavarse con detergente y agua caliente. Dichas prendas deben guardarse y lavarse por separado de otra ropa.
- Los usuarios deben lavarse las manos antes de comer, beber, masticar chicle, usar tabaco o usar el baño. Los usuarios deben quitarse la ropa inmediatamente si el pesticida pasa a través de la misma. Luego deben lavarse muy bien y ponerse ropa limpia.
- Los usuarios deben quitarse la ropa y el equipo de protección personal inmediatamente después de manipular este producto. Lávese muy bien y póngase ropa limpia tan pronto como sea posible.

CÓMO USAR

El herbicida para pasto y maleza, de Spectracide® está formulado para el tratamiento localizado de malezas y pastos y viene pre-mezclado y listo para usar. Úsalo en los caminos de entrada de automóviles y senderos, o alrededor de cercas, árboles, lechos de flores, arbustos y otras zonas en su jardín.

ANTES DE USAR:

1. Agite bien antes de cada uso.
2. Quite el sello de la tapa abre fácil y abra. Deseche la etiqueta.
3. Retire el rociador de su ranura debajo del asa de la botella; quite y deseche la envoltura de plástico. Jale la punta negra de la manguera para que el tubo se extienda por completo.
4. Oprima fuerte la punta negra de la manguera en la abertura de la tapa hasta que trabre.
5. Sostenga el rociador por debajo del nivel del envase y cárguelo mediante el botón del mecanismo disparador varias veces hasta que salga el producto.
6. Ajuste la boquilla al nivel deseado.

DESPUÉS DE USAR:

7. Para guardar, gire la boquilla del rociador a la posición de cerrado.
8. NO desconecte la manguera.
9. Coloque el rociador nuevamente en su ranura. La manguera se puede meter en el asa del rociador.

CÓMO APLICAR

- Cubra completamente las hojas de la vegetación que tiene como objetivo. No rocíe en exceso.
- Las plantas que se rociaron empezarán a ponerse amarilla o marchitarse en un plazo de 24 horas y la eliminación completa, incluyendo las raíces, tiene lugar en a dos semanas.
- Proteja todas las plantas deseadas con un trozo de plástico o cartón.
- Si las plantas deseadas se rociaron accidentalmente, lávelas inmediatamente con agua.
- No corte, ni altere de ninguna otra manera a la vegetación, las malezas o las plantas tratadas durante por lo menos siete días después de la aplicación.
- No lo use en alimentos para animales ni en cultivos comestibles ni a su alrededor.

CUÁNDO APLICAR

- Para obtener mejores resultados, aplique el producto cuando el clima esté cálido y soleado (temperaturas superiores a 60°F), cuando las malezas se encuentren en la etapa de desarrollo activo y no se pronostiquen lluvias por 24 horas. La lluvia o el riego después de los 15 minutos de la aplicación no reduce la eficacia.

actively growing and no rain is forecast for 24 hours. Rainfall or watering 15 minutes after application will not wash away effectiveness.

To avoid drift to desirable plants, apply when the air is calm.

Not recommended for spot weed treatment in established lawns since lawn grasses will also be killed.

WHEN TO REPLANT

All ornamental flowers, trees and shrubs may be planted **one day** after application.

LAWN RENOVATION/REPLACEMENT

- Determine size of area to be treated — measure length and width in feet, then multiply to determine coverage area in square feet (length x width).
- Use Spectracide® Weed & Grass Killer, to kill the old lawn and existing weeds and grasses.
- For best results, apply in spring or fall, when daytime temperatures are at least 60°F.
- Under dry conditions, water lawn every other day for a week before applying Spectracide Weed & Grass Killer.
- Do not mow for seven days before or after treatment.
- One gallon treats 300 sq ft.

TIPS FOR REPLANTING

- Wait seven days after last application to rake, till or replant with seed or sod.
- Rake up and remove loosened thatch or debris.
- Mix in starter fertilizer and soil amendments, if needed. Level the soil.
- Apply seed according to directions on seed package, or install sod. Grass seed must have good contact with soil to germinate and grow.
- Keep area moist for two weeks to establish new lawn, then water as needed.

REFILL DIRECTIONS

Refill only with Spectracide® Weed and Grass Killer Concentrate. Remove cap. Carefully measure and mix 7 fl (14 Tbsp) in 1 gal of water. Replace and tightly close cap. Wipe off any spilled product.

STORAGE AND DISPOSAL

Pesticide Storage: Turn the nozzle to "OFF" position and store with sprayer above the level of liquid in container to prevent leakage.

Pesticide Disposal: If empty: Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available. If partly filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain.

PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

CAUTION. Causes moderate eye irritation. Avoid contact with eyes or clothing. Wear long-sleeved shirt, long pants, shoes, and socks.

FIRST AID

If in **Eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a Poison Control Center or doctor for treatment advice.

If on **Skin or Clothing:** Take off contaminated clothing. Rinse skin with plenty of water for 15-20 minutes. Call a Poison Control Center or doctor for treatment advice. Have the product container or label with you when calling a Poison Control Center or doctor, or going for treatment.

Environmental Hazards

This pesticide is toxic to aquatic invertebrates. Do not apply directly to water. Do not contaminate water when disposing of equipment washwaters.

NOTICE: To the extent required by applicable law, buyer assumes all responsibility for safety and use not in accordance with directions.

Questions & Comments? Call 1-800-917-5438 or visit our website at www.spectracide.com

Distributed by Spectrum Group, Division of United Industries Corporation, PO Box 142624, St. Louis, MO 63114-0642

EPA Reg. No. 9688-293-8845

EPA Est. Nos. 39754-WI-1 (R), 9688-MO-1 (U), 79533-WI-1 (BT), 39609-MO-1 (BM), 58996-MO-1 (AE), 11623-GA-1 (CK),

11623-GA-3 (GN) Circled letter is first letter of lot number. 17-13906 © 2011 UIC

• Aplique cuando no haya viento para evitar el arrastre hacia plantas deseadas.
No se recomienda para el tratamiento localizado de malezas en céspedes establecidos, ya que también los matará.

CUÁNDO PLANTAR DE NUEVO

• Todas las flores, árboles y arbustos ornamentales se pueden plantar **un día** después de la aplicación.

RENOVACIÓN O REPOSICIÓN DEL CÉSPED

- Determine el tamaño del área que se va a tratar: mida el largo y el ancho en pies y después multiplique para determinar el área de cobertura en pies cuadrados (largo por ancho).
- Use el herbicida para pasto y maleza, de Spectracide® para eliminar el césped anterior y las malezas y pastos actuales.
- Para obtener mejores resultados, aplique durante la primavera o el otoño, cuando las temperaturas diurnas sean de 60°* por lo menos.
- Si el césped está seco, rieguelo un día sí y otro no durante una semana antes de aplicar el herbicida para pasto y maleza, de Spectracide.
- No corte el césped durante los siete días anteriores ni posteriores al tratamiento.
- Un galón trata 300 pies cuadrados.

CONSEJOS PARA REPLANTAR

- Esperar que transcurran siete días de la última aplicación para rastrear, cultivar o replantar con semillas o panes de césped.
- Rastrille y retire la paja o los residuos sueltos.
- Si es necesario, mezcle el fertilizante inicial y los acondicionadores para la tierra. Nivele la tierra.
- Aplique las semillas de acuerdo a las instrucciones del envase, o coloque los panes de césped. Las semillas de césped deben mantener un buen contacto con la tierra para germinar y crecer.
- Mantenga la zona húmeda durante dos semanas para que el césped nuevo se establezca; después riegue cuando sea necesario.

INSTRUCCIONES PARA RECARGAR

Recargue solamente con el herbicida concentrado para pasto y maleza, de Spectracide®. Quite la tapa. Mida y mezcle cuidadosamente 7 onz. liq. (14 oz. soperas) en 1 galón de agua. Coloque la tapa de nuevo y ciérrala herméticamente. Limpie cualquier resto de producto que se haya derramado.

ALMACENAMIENTO Y ELIMINACIÓN

Almacenamiento del pesticida: Gire la boquilla hasta la posición "OFF" (apagado) y guárdelo con el rociador por encima del nivel de líquido en el envase para evitar derrames.

Eliminación del pesticida: Si está vacío: Envasar no rellenable. No vuelva a usar ni rellenar este envase. Ofrezcáelo para reciclar; si existe esa opción. Si está parcialmente vacío: Llame a su servicio de eliminación de desechos más cercano para obtener instrucciones de eliminación. Nunca tire el producto sin usar por ningún drenaje interno ni externo.

DECLARACIONES PREVENTIVAS

Riesgos para los seres humanos y los animales domésticos

PRECAUCIÓN. Causa irritación moderada a los ojos. Evite el contacto con los ojos o la ropa. Use camisa de manga larga, pantalones largos, zapatos y calcetines.

PRIMEROS AUXILIOS

Si entra en contacto con los ojos: Mantenga los ojos abiertos y enjuague con agua lentamente, con cuidado, durante 15 a 20 minutos. Si hay lentes de contacto, retírelos después de los primeros 5 minutos, luego continúe enjuagando los ojos. Llame a un centro de control de envenenamientos o a un médico para recibir instrucciones de tratamiento.

Si entra en contacto con la piel o la ropa: Quite la ropa contaminada. Lave la piel con abundante agua durante 15 a 20 minutos. Llame a un centro de control de envenenamientos o a un médico para recibir instrucciones de tratamiento.

Cuando llame a un centro de control de envenenamientos o a un médico, o intente obtener tratamiento, tenga a la mano el envase o la etiqueta del producto.

Riesgos para el medio ambiente

Este pesticida es tóxico para los invertebrados acuáticos. No lo aplique directamente al agua. No contamine el agua cuando elimine las aguas de lavado del equipo.

NOTA: Hasta el grado que sea compatible con la legislación pertinente, el comprador asume toda la responsabilidad para seguridad y uso que no estén de acuerdo con las instrucciones.

¿Preguntas o comentarios? Llame al 1-800-917-5438.