

FRONT

**WORKS IN
MINUTES***

**LASTS
UP TO 3 MONTHS***

**GUARANTEED TO WORK
OR YOUR MONEY BACK!**

AMDRO

Quick Kill®

**OUTDOOR INSECT KILLER
CONCENTRATE**



5.303"

CONTROLS

NEW REVISIONS OTHER

client:
BRAND

date submitted: **01/05/13** version date: **07/21/15** requested finish: **01/10/13**

file name: **AM342 - AMDRO 100522991 Quick Kill Concentrate 32oz Label Front** version number: **5**

requester: **ASHLEY** designer: **MELISSA**

approval sign-off: _____ date: _____

colors:
 CMYK PMS # 000 PMS # 000
 SPOT COLORS PMS # 000 PMS # 000

notes:
Special notes and instructions will go here. Special notes and instructions will go here. Special notes and instructions will go here.

This color print is for content and position only. Use Contract Proof for Process-Color matching. Use Ink Drawdowns for Spot-Color matching.



CENTRAL GARDEN & PET | v2.1 | 9/10/13

**KEEP OUT OF REACH
OF CHILDREN**

**See Back Panel For Additional
Precautionary Statements & First Aid**

* Except fleas, ticks and mosquitoes

For Residential Outdoor Uses, including Lawns, Home Perimeter, Ornamental & Flower Gardens.

300519123-09/15
ACTIVE INGREDIENT: By Wt.
Zeta-Cypermethrin† 0.35%
OTHER INGREDIENTS: 99.65%
100.00%

† AMDRO Quick Kill® Outdoor Insect Killer Concentrate contains 0.03 pounds active ingredient per gallon
† Cis/trans ratio: Max. 75% (±) cis and min. 25% (±) trans

NET CONTENTS 1 QT (946 ML)


WEB DIRECTION

7.85"(h) x 4.3"(w)

68227_Central G&P_32oz dieline
05-08-15 jw

BACK

BOUND
BOOKLET



AMDRO
Quick Kill[®]
OUTDOOR INSECT KILLER
CONCENTRATE


Where to Use	Lawns, Trees and Shrubs, Roses and Flowers, Outside surfaces of buildings
Kills	Ants (including Fire Ants, Crazy Ants, and Tawny Crazy Ants), Mosquitoes, Fleas, Gypsy Moth, Bagworm, Budworm & Leafroller, Armyworms, Cutworms, Fall Webworm, Sod Webworm, Tent Caterpillar, Leafminer, Millipedes, Spiders, Scorpions, Mole Crickets, Springtails, Silverfish, Firebrats, Grasshoppers, Crickets, Earwigs, Cockroaches, Chinch Bug, Boxelder Bug, Plant Bug, Lace Bug, Leafhoppers, Spittlebugs, Psyllids, Whitefly, Aphids, Cicadas, Scales, Mealybug, Adelgids, Treehoppers, Blacklegged and Brown Dog Ticks, Thrips, Weevils & Billbugs, Ground Beetles, Japanese Beetle, Pillbug, Sowbug, Black Turf Ataenius, Bark Beetle & Pine Shoot Beetle), Borers, Elm Leaf Beetle, Flies, Including House flies, And Other Listed Lawn & Garden Pests
When to Use	To treat lawns and vegetation: When insects or damage first appear When using as perimeter treatment: Early in season or when insects appear
How Much to Use	For Lawns and perimeter treatments: Dilute 4 fluid ounces of this product per gallon of water to evenly cover 1,000 sq ft of area. For Ornamentals, Trees and Flowers: Dilute 4 fluid ounces of this product per gallon of water and fully spray foliage. For Fleas, Mosquitoes, Scorpions, Mole Crickets, Spiders, Crickets & Grasshoppers: Dilute 15 fluid ounces of this product per gallon of water to evenly cover 1,000 sq ft of area.
Coverage	Makes up to 8 gallons of spray. Treats up to 4,267 sq. ft.



8 13576 00687 7

300519124-AM341v4-09/15

Distributed by:
Central Garden & Pet, Garden Division
1000 Parkwood Circle, Suite 700
Atlanta, GA 30339
EPA Reg. No. 279-3347-90098
EPA Est. No. 70815-GA-1

AMDRO Quick Kill, Central Garden & Pet and Central Garden & Pet with design are trademarks of Central Garden & Pet Company.

1-800-265-0761 | gardendivision@central.com | www.amdro.com



WEB DIRECTION

7.85"(h) x 4.3"(w)

68226_Central G&P_32oz dieline
05-08-15 jw

.375" ← 2.875" Book Placement → .375"

AMDRO

Quick Kill®

OUTDOOR INSECT KILLER
CONCENTRATE

Where to Use	Lawns, Trees and Shrubs, Roses and Flowers, Outside surfaces of buildings
Kills	Ants (including Fire Ants, Crazy Ants, and Tawny Crazy Ants), Mosquitoes, Fleas, Gypsy Moth, Bagworm, Budworm & Leafroller, Armyworms, Cutworms, Fall Webworm, Sod Webworm, Tent Caterpillar, Leafminer, Millipedes, Spiders, Scorpions, Mole Crickets, Springtails, Silverfish, Firebrats, Grasshoppers, Crickets, Earwigs, Cockroaches, Chinch Bug, Boxelder Bug, Plant Bug, Lace Bug, Leafhoppers, Spittlebugs, Psyllids, Whitefly, Aphids, Cicadas, Scales, Mealybug, Adelgids, Treehoppers, Blacklegged and Brown Dog Ticks, Thrips, Weevils & Billbugs, Ground Beetles, (Japanese Beetle, Pillbug, Sowbug, Black Turf Ataenius, Bark Beetle & Pine Shoot Beetle), Borers, Elm Leaf Beetle, Flies, including House flies, And Other Listed Lawn & Garden Pests
When to Use	To treat lawns and vegetation: When insects or damage first appear When using as perimeter treatment: Early in season or when insects appear
How Much to Use	For Lawns and perimeter treatments: Dilute 4 fluid ounces of this product per gallon of water to evenly cover 1,000 sq ft of area. For Ornamentals, Trees and Flowers: Dilute 4 fluid ounces of this product per gallon of water and fully spray foliage. For Fleas, Mosquitoes, Scorpions, Mole Crickets, Spiders, Crickets & Grasshoppers: Dilute 15 fluid ounces of this product per gallon of water to evenly cover 1,000 sq ft of area.
Coverage	Makes up to 8 gallons of spray. Treats up to 4,267 sq. ft.

7.85"



300519124-AM341v4-09/15

Distributed by:
Central Garden & Pet, Garden Division
1000 Parkwood Circle, Suite 700
Atlanta, GA 30339
EPA Reg. No. 279-3347-90098
EPA Est. No. 70815-GA-1

CENTRAL
Garden & Pet



Ampro Quick Kill, Central Garden & Pet and Central Garden & Pet with design are trademarks of Central Garden & Pet Company.

1-800-265-0761 | gardendivision@central.com | www.amdro.com

← 3.625" →

2.375"

2.375"

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

SHAKE WELL BEFORE USING

USE RESTRICTIONS

- Do not treat pets with this product.
- Do not apply this product in a way that will contact adults, children, or pets, either directly or through drift.
- Do not allow adults, children, or pets to enter the treated area until sprays have dried.
- Remove pets, birds, and cover fish aquariums before spraying.
- Avoid contamination of food and feedstuffs. Remove or cover exposed food and drinking water before application.
- Do not use in food handling establishments in which food is held, processed, prepared, and/or served.
- When used in the home, remove or cover dishes, utensils, food processing equipment, and food preparation surfaces or wash them before use.
- Do not apply directly to animals.
- Do not use in aircraft.

Do not apply this product in a way that will contact adults, children, or pets, either directly or through drift. Remove pets, birds, and cover fish aquariums before spraying.

All outdoor applications must be limited to spot or crack-and-crevice treatments only, except for the following permitted uses:

1. Treatment to soil or vegetation around structures;
2. Applications to lawns, turf, and other vegetation;
3. Applications to building foundations, up to a maximum height of 3 feet.

Other than applications to building foundations, all outdoor applications to impervious surfaces such as sidewalks, driveways, patios, porches and structural surfaces (such as windows, doors, and eaves) are limited to spot and crack-and-crevice applications, only.

Do not water the treated area to the point of run-off.

Do not make applications during rain.

Application is prohibited directly into sewers or drains, or to any area like a gutter where drainage to sewers, storm drains, water bodies, or aquatic habitat can occur. Do not allow this product to enter any drain during or after application.

Mixing Instructions- How Much to Use

This product is to be diluted with water for spray or brush application.

1. Fill sprayer with the desired volume of water and add AMDRO Quick Kill® Outdoor Insect Killer Concentrate.
2. - To prepare a 0.003% ready to use solution, dilute 1.0 fluid ounce of this product per gallon of water.
- To prepare a 0.02% ready to use solution, dilute 7.5 fluid ounces of this product per gallon of water.
- To prepare a 0.04% ready to use solution, dilute 15 fluid ounces of this product per gallon of water.
3. Mix only the amount of solution needed for the application
4. Close and shake before use in order to ensure proper mixing.

How to Use - Outdoors

NUISANCE PESTS ON OUTDOOR SURFACES

To Kill Ants, Earwigs, and other named Pests on Outside Surfaces and Around Buildings (except for fleas, mosquitoes, spiders, scorpions, crickets, mole crickets, and grasshoppers – see specific instructions below)

NOTE: The application of this product to vinyl and aluminum siding (particularly lightly colored, aged, weathered or otherwise damaged) may result in staining, bleaching or discoloration. Factors such as extreme heat and direct sunlight can promote damage. Before applying this product to vinyl or aluminum siding, treat a small area and evaluate 30 minutes later to allow any potential staining to occur. Regardless of the test results, do not apply to vinyl or aluminum siding while exposed to direct sunlight or during the heat of the day.


- Apply 0.003% solution to point of run-off by brush or as a residual spray to vegetation such as bushes and trees around buildings and other structures.
- For ants, apply to any trails, around doors and windows and other places where ants may be found.
- To prevent pests from entering buildings, apply 0.003% solution to a band of soil and vegetation 5 to 10 feet wide around and adjacent to the building. Also, treat the building foundation to a height of 2 to 3 feet where pests are active and may find entrance. Apply as a coarse spray. Thoroughly and uniformly wet the band area, using 1 gallon of spray mix per 1,000 square feet.
- The surface to be treated should be dry at the time of application. Attics and unoccupied lofts should be treated at the same time and at the same rate.

7.1383"

7.85"

2.875"

2.875"



To Kill Carpenter Ants Outdoors

- Apply to carpenter ant trails around doors and windows and other places where carpenter ants have been observed or are expected to forage.
- For best results, locate and treat carpenter ant nests.
- Apply a perimeter treatment as described above.
- To protect firewood from carpenter ants (and termites), apply to the soil beneath where the firewood will be stacked. Use 1 quart to treat 640 square feet. DO NOT treat firewood with this product.
- Not intended to replace structural treatments. For termites – not recommended as sole protection against termites. Such applications are not a substitute for mechanical alterations, soil or foundation treatment but merely as a supplement. For active infestations, get a professional inspection

To Kill Fleas, Mosquitoes, Spiders, Scorpions, Mole Crickets, Crickets and Grasshoppers

- For best results, locate areas where these pests are most active or may become active.
- Treat using a 0.04% solution (15 fl. oz. per gallon of water per 1,000 sq. ft.). Use a coarse spray to ensure thorough coverage.
- Around buildings, apply an uninterrupted band 3 to 5 feet wide around the perimeter of the building and up to 3 feet along the side or foundation of the building.
- Use a spot and crack and crevice treatment around potential entry points such as doors, windows, and eaves.

To Kill Blacklegged and Brown Dog Ticks Outdoors

- To prevent infestation of the home, treat soil and vegetation around the exterior perimeter of the home as described above.
- Treat soil and vegetation adjacent to wooded areas on the property where blacklegged and brown dog ticks may be harboring
- Treat areas of taller vegetation (2 – 3 ft), around the exterior of the property,
- Treatment should be made to the point of runoff.
- Treatment should be applied thoroughly and uniformly

Treatment of Wood-in-Place to Kill Exposed Stages of Wood-Infesting Insects

- For the control of insects such as Termites, Ants and Carpenter Ants in localized areas of infested wood in and around structures, apply to voids and galleries in damaged wood and in spaces between wooden members of a structure and between wood and foundations where wood is vulnerable. Not intended to replace structural treatments.

LAWNS

To Kill Ants, Fire Ants, Beetles, Chinch Bugs, Sod Webworms, Weevils and other listed Pests in Lawns

- Uniformly apply one gallon of 0.02% solution over a 1,000 square feet area with a sprayer.
- Lawn should not be longer than 3 inches at the time of application.
- Repeat application is necessary only if there are signs of renewed insect activity

To Kill Fleas and Mosquitoes

- For best results, locate areas where these pests are most active or may become active.
- Treat using 15 fl. oz. per gallon of water per 1,000 sq. ft.
- Apply uniformly over lawn. Treat area directly using a coarse spray until thoroughly wet and up to the point of runoff.

Ant Mound Treatments

- To treat ant mounds including imported fire ant mounds, Dilute 0.8 fl. oz. of this product in 1-2 gal water and apply to each mound area by sprinkling the mound until it is wet and treat a 4 foot diameter circle around the mound.
- Use the higher volume for mounds larger than 12". For best results, apply in cool weather, such as in early morning or late evening hours, but not in the heat of the day.

ORNAMENTALS, ROSES, FLOWERS & TREES

To Kill Ants, (including cut ants), Aphids, Bagworms, Earwigs, Sow Bugs, Millipedes, Beetles, Weevils, Plant Bugs, Sawflies, Caterpillars, Moths and other listed pests on Ornamentals, Roses, Flowers and Trees (including deciduous and evergreen trees, shrubs, ground covers, bedding plants, annuals, perennials, and foliage plants).

- Apply 0.02-0.04% solution to point of runoff by brush or as a spray. Spray up to the point of run-off making sure to cover all sides of leaves and trunk. Retreat if pests return.
- For ground covers, bedding plants, foliage, annuals and perennials, apply one gallon of 0.02-0.04% solution per 1,000 square feet as a uniform spray. Repeat treatment as necessary to achieve control using higher application rates as pest pressure & foliage area increases. Repeat application should be limited to no more than once per seven days.

Certain plants may be sensitive to the final spray solution. A limited area should be treated and observed for one week prior to application to the entire planting.

2.375"

2.375"

PESTS CONTROLLED

Caterpillars, Butterflies and Moths

Tent forming caterpillars, cocoon forming caterpillars, chrysalis forming caterpillars. Leaf feeding caterpillars (including leaves of flowering plants, bushes and other ornamentals, vegetables and trees), fruit eating caterpillars, legume feeding caterpillars, vegetable feeding caterpillars, stem and trunk boring caterpillars, and leafrolling caterpillars. Caterpillars of the Yucca Moth family such as Fairy moths and Yucca moths; Clothes moth family; bagworm moth family, Gelechiid moth family such as Potato tuber moths; Ermine Moth family such as Ailanthus Webworm moth; Clear Winged moth family such as Manroot borer, Squash Vine borer, Doll's Clearwing moth, California Sycamore borer; Tortricid Moth family (millers) such as Fruit Tree Leafroller moth, Orange Tortrix, and Codling moth; Skippers such as Least Skipper, Silver-spotted Skipper, and Long-tail Skipper; Swallowtails such as Green swallowtail, Zebra Swallowtail, Giant Swallowtail (Orange Tail, Orange Puppy), Pale Swallowtail, Eastern Tiger Swallowtail, Eastern Black Swallowtail, Spicebush Swallowtail, and Phoebus; Whites, Sulphurs and Orange Tips family such as Sara Orange Tip, Great Southern White, and European Cabbage Butterfly; Gossamer-winged Butterflies Family such as Great Purple Hairstreak, Spring Azure, Early Hairstreak, Eastern Tailed blue, Harvester, Silvery Blue, Brown Elfin, Marine Blue, American Copper, and Gray Hairstreak; Metalmark family such as Northern Metalmark; Snout Butterflies family such as Common Snout Butterfly; Brush-footed Butterfly family such as Gulf Fritillary, White Peacock, Harris' Checkerspot, Painted Lady (Thistle butterfly), American Painted Lady (Painted Beauty), Baltimore, Zebra (Yellow-barred Heliconian), Viceroy, White Admiral (Banded Purple), Mourning Cloak, Milbert's Tortoise Shell, Pearl Crescent, Question Mark, Buckeye, Great Spangled Fritillary, and Red Admiral; Hackberry and Goatweed Butterfly family such as Hackberry butterfly; Satyrs, Nymphs and Arctics family such as Wood Nymph (American Grayling), White Wood Satyr, Eyed Brown (Grass Nymph), Pearly Eye, and Chryxus Arctic; Milkweed Butterfly family such as Queen, and Monarch; Smoky Moth family such as Grape Leaf Skeletonizer; Slug Caterpillar Moth family such as Saddleback Caterpillar Moth; Pyralid Moths family such as Mediterranean Flour Moth Sod Webworm Moth, Indian Meal Moth, Meal Moth; Plume Moth family such as Artichoke Plume Moth; Measuringworm Moth family such as Tulip Tree Beauty, California Cankerworm Moth, and Large California Spanworm Moth; Tent Caterpillar Moth family such as Western Tent Caterpillar Moth; Giant Silkworm Moth family such as Luna Moth, Polyphemus moth, Io Moth, Promethea Moth (Spicebush Silkworm), Regal Moth (Royal Walnut Moth), Rosy Maple Moth, Imperial Moth, Sheep Moth, Cecropia Moth, and Cynthia Moth; Sphinx moth family - such as Virginia-creeper Sphinx, Pandora

Sphinx, Hummingbird Moth (Common Clearwing), White-lined Sphinx, Tomato Hornworm Moth, Tobacco Hornworm Moth, Big Poplar Sphinx, Cerisy's Sphinx, and Wild-cherry Sphinx; Prominent family such as Tentacled Prominent (Puss Moths), and Red-humped Appleworm Moth; Tiger Moth family such as Ornate Tiger Moth, Yellow Woolly Bear Moth, Acraea Moth, Milkweed Tiger Moth, Spotted Tiger Moth, Colona, Woolly Bear Caterpillar Moth (Banded Woolly Bear), Lichen Moth, and Rattlebox Moth; Ctenuchid Moth family such as Virginia Ctenuchid moth; Tussock moth family such as Gypsy Moth, White-marked Tussock Moth; Owlet Moth family such as Eight-spotted Forester, Black Witch, Alfalfa Looper, Sweetheart Underwing, Locust Underwing, and Hebrew.

Common Bristletails

Silverfish Family such as Silverfish, and Firebrat

Springtails

Podurid Springtail family such as Snow Pea, Seashore Springtail; Entomobryid Springtail family such as Ainsley's Springtail; Globular Springtail family

Cockroaches

Blattid Cockroach Family such as Oriental Cockroach (Asiatic Cockroach, Shad Cockroach), and American Cockroach (Waterbug); Blattellid Cockroaches family such as German Cockroach (Croton Bug)

Termites

Rotting-wood termite family such as Pacific Coast Termite; Subterranean termite family such as subterranean termites. Not intended to replace structural treatments. For termites – not recommended as sole protection against termites. Such applications are not a substitute for mechanical alterations, soil or foundation treatment but merely as a supplement. For active infestations, get a professional inspection.

Earwigs

Long-Horned Earwig family such as Ring-legged Earwig, and Riparian Earwig; Common Earwig family such as European Earwig

Grasshoppers & Crickets


Pygmy Grasshopper family such as Aztec Pygmy Grasshopper; Short-Horned Grasshopper family such as Creosote Bush Grasshopper, Lubber Grasshopper, Painted Grasshopper, Carolina Locust, Dragon Lubber Grasshopper (Gray Dragon), Three-banded Grasshopper (Banded Range Grasshopper), Differential Grasshopper, Red-legged Locust, Spur-throated Grasshopper, Two-striped Grasshopper, Panther-spotted grasshopper,

7.1383"

7.85"

2.875"

2.875"



Grasshoppers & Crickets - continued
 Southeastern Lubber Grasshopper, Alutacea Bird Grasshopper, American Bird Grasshopper, Green Valley Grasshopper, Toothpick Grasshopper, Horse Lubber Grasshopper, Pallid-winged Grasshopper, and Great Crested Grasshopper (Dinosaur Grasshopper); Long-horned grasshoppers and Katydid family such as Oblong-winged Katydid, Mormon Cricket, Short-legged Shield back Katydid, California Katydid, Angular-winged Katydid, Keeled Shield-back Katydid, Nebraska Cone-head, Gladiator Katydid, Mescalero Shield-back Katydid, True Katydid (Northern Katydid), and Fork-tailed Bush Katydid; Camel Crickets family such as Spotted Camel Cricket, Secret Cove Cricket, Jerusalem Cricket; True Crickets family such as House Cricket (Cricket on the Hearth), Field Cricket, California Tree Cricket, Snowy Tree Cricket, and Black-horned Tree Cricket; Mole Cricket family such AS Northern Mole Cricket and European Mole Cricket

True Bugs
 Plant Bug family such as Adelphocoris Plant Bugs, Scarlet Plant bugs, Tarnished Plant Bugs, and Four-lined Plant Bug; Assassin bug family such as Bee Assassins, Wheel Bug; Ambush Bug family such as Jagged Ambush Bug; Lace Bug family such as Oak Lace Bug; Seed Bug family such as Small Eastern Milkweed Bug; Long-necked Seed Bug, and Large Milkweed Bug; Stilt Bug family such as Stilt Bugs; Leaf-footed Bug family such as Florida Leaf-footed Bug, and Squash Bug; Scentless Plant Bug family such as Eastern Boxelder Bug and Western Boxelder Bug; Stink Bug family such as Green Stink Bug, Brochymenas, Two-spotted Stink Bug (Conspicuous Stink Bug), Harlequin Cabbage Bug (Calico Bug, Fire Bug), and Spined Soldier Bug

Cicadas and Kin
 Cicada family such as Periodical Cicadas, Dogday Harvestfly, and Grand Western Cicada

Treehoppers
 Treehopper family, such as Thorn-mimic Treehopper, Oak Treehopper, Buffalo Treehopper, and Locust Treehopper

Leafhoppers
 Leafhopper family such as Grape Leafhopper, Scarlet-and-green Leafhopper, Sharpshooter

Thrips
 Banded Thrips family such as Banded-wing Thrips; Common Thrips family

Beetles
 Tiger Beetle Family such as Beautiful Tiger Beetle, Dainty Tiger Beetle, Six-Spotted Green Tiger Beetle, and Dejean's Flightless Tiger Beetle; Ground Beetle family such as Bombardier Beetle, Fiery Searcher (Caterpillar hunter), European Ground Beetle, Green Pubescent Ground Beetle, Common Black Ground Beetle, and Boat-backed Ground Beetle; Predacious Diving Beetle family such as Small Flat Diving Beetle, Large Diving Beetle, and Marbled Diving Beetle; Whirligig Beetle family such as Large Whirligig Beetle, and Small Whirligig Beetle; Hister Beetle family such as Hister beetles; Rove Beetle family such as Gold-and-brown Rove Beetle and Pictured Rove Beetle; Carrion Beetle family such as Margined Burying Beetle, Tomentose Burying Beetle (Gold-necked Carrion Beetle), American Carrion Beetle, and Northern Carrion Beetle; Stag Beetle family such as Elephant Stag Beetle, Agassiz's Flat-horned Stag Beetle, Reddish-brown Stag Beetle, and Rugose Stag Beetle; Bessbugs family such as Patent-leather Beetle (Horned Passalus); Scarab Beetle family such as Tumblebugs, Goldsmith Beetle, Green Jumping Beetle, Brown Fruit Chafer, Glossy Pillbug, Grapevine Beetle, May Beetles (June Beetles), Ten-lined June Beetles, and Japanese Beetle; Metallic Wood-Boring Beetles such as Golden Buprestid, Western Pine Borer (Sculptured Pine Borer), and Divergent Metallic Wood Borer (Flatheaded Cherry Tree Borer); Click Beetle family such as Eastern Eyed Click Beetle (Big-eyed Click Beetle), and Fire Beetles; Fireflies (Lightning Bugs) family such as Pyralis Firefly, and Pennsylvania Firefly; Soldier Beetle family such as Pennsylvania Leather-wing, and Downy Leather-wing, Net-winged Beetle family such as Banded Net-wing, and Golden Net-wing; Spider Beetle family such as Spider Beetles, and Texan Spider Beetle; Branch and Twig Borer family such as Apple Twig Borer; Checkered Beetle family such as California Checkered Beetle, Elegant Checkered Beetle, Slender Checkered Beetle, and Red-blue Checkered Beetle; Flat Bark Beetle family such as Red Flat Bark Beetle; Pleasing Fungus Beetle such as Rough Fungus Beetle; Ladybug Beetles such as Two-spotted Ladybug Beetle, Nine-spotted Ladybug Beetle, Spotless "Nine-spotted" Ladybug, Convergent Ladybug Beetle, and Ash Gray Ladybug Beetle; Darkling Beetles such as Horned Fungus Beetle, Broad-necked Darkling Beetle, Plicate Beetle, Yellow Mealworm Beetle, and Ironclad Beetle; Fire-colored Beetles family such as Fire Beetles; Blister Beetles family such as Striped Blister Beetle, Arizona Blister Beetle, Short-winged Blister Beetle, (Oil Beetle); Long-horned Beetle family such as Black-horned Pine Borer, Yellow Douglass Fir Borer, Long-jawed Longhorn, Elder Borer (Cloaked Knotty-horn), Twig Pruners, Pine Sawyer (Spined-neck Longhorn), Golden-haired Flower Longhorn, Locust Borer, Black Pine Sawyer (White Spotted Sawyer), Cylindrical Hardwood Borer, Cottonwood Twig Borer, Cottonwood Borer, Giant Root Borers, Ribbed Pine Borer, California Laurel Borer (Banded Alder Borer), Ivory marked Beetle, Red Milkweed Beetle (Eastern Milkweed Longhorn), Notch-tipped Flower



← 2.375 " →

← 2.375 " →

7.1383 "

7.85 "

Beetles - continued
 Longhorn, and Willow Borer; Seed Borer family such as Bean Weevil; Leaf Beetle family such as Dogwood Calligrapha, Milkweed Tortoise Beetle (Argus Tortoise Beetle), Dogbane Leaf Beetle, Milkweed Leaf Beetle, Willow Leaf Beetle, Spotted Asparagus Beetle, Clavate Tortoise Beetle, Spotted Cucumber Beetle, Waterlily Leaf Beetle, Swamp Milkweed Leaf Beetle, Three-lined Potato Beetle, (Old-fashioned Potato Bug, Colorado Potato Beetle, and Girdled Leaf Beetle; Primitive Weevil family such as Oak Timberworm Beetle (Primitive Weevil); Snout Beetles and Weevil family such as Boll Weevil, Black Oak Acorn Weevil, Lesser Cloverleaf Weevil, Alfalfa Weevil, Pine Weevils, Rose Weevils, Agrave Billbug, and Stored-grain Billbug (Granary Weevil, Elephant Bug); Bark and Ambrosia Beetle family such as Red Turpentine Beetle, Pine and Spruce Engraver Beetles, and Bark Beetles.

Ants, Sawflies
 Cimbicid Sawflies family such as Rusty Willow Sawfly; Common Sawfly family such as Northeastern sawfly; Horntail family such as Pigeon Horntail, and Smokey Horntails; Stem Sawflies family such as Raspberry Horntail; Braconids family such as Braconid Wasps; Ichneumons family such as Giant Ichneumons, Short-tailed Ichneumons and Red-tailed Ichneumon; Velvet-Ants such as Thistle-down Velvet-ant, Red Velvet-ant, and Cow Killer; Ant family such as Spine-waisted ants, Leafcutter ants, Texas Carpenter ants, Black Carpenter ants, Crater-nest ants, Texas Shed-builder ant (Acrobat Ant), Red Ant, Legionary Ant, Little Black Ant, Arid Lands Honey Ant, Big-headed Ant, Honey Ant, and Fire Ant

Flies
 Crane fly family such as Wood-boring Tupulid, Giant Western Crane Fly, and Crane Flies; Phantom Crane Flies such as Phantom Crane Fly; Net-winged Midges such as Comstock's Net-winged Midge; Phantom Midges; Black Flies such as Black flies; March Flies family such as March Flies; Fungus Gnats family such as Fungus Gnats; Snipe Fly family such as Gold-backed Snipe Fly; Stiletto Fly family such as Stiletto Flies; Flower-loving Fly family such as Flower-loving Fly; Mydas Fly family such as Mydas fly; Robber Fly family such as Bearded Robber Fly, Sacken's Bee Hunter, Giant Robber Fly, Bee Killer (Giant Robber Fly), and Robber Flies; Bee Flies such as Bee Fly, Large Bee Flies, and Progressive bee Flies; Dance Flies such as Dance Flies; Long-Legged Flies such as Condylostyloid Long-legged Flies, and Texan Long-legged Fly; Hover Fly family such as Woolly Bear Hover Flies, Elongate Aphid Flies, Drone Flies, Bulb Flies, American Hover Flies, and Toxomerus Hover Fly; Thick Headed Fly family such as Thick headed fly; Pyrgotid Fly family such as Pyrgotid Flies; Fruit Fly family such as Walnut Husk Fly, and Apple Maggot Fly; Seaweed Fly family such as California Seaweed Fly; Marsh Fly family such as Marsh flies; Shore fly

Flies - continued
 family such as Yellowstone Brine Fly; Pomace fly family such as Vinegar Fly; Anthomyiid Fly family such as Dung Fly; Muscid Fly family such as House Fly, and Biting Stable Fly; Louse Fly family, Blow Fly family such as Blue Bottle Fly, Screw-worm Fly, and Green Bottle Fly; Flesh Fly family such as Flesh flies; Tachinid Fly family such as Beelike Tachinid Fly, Early Tachinid Fly, Repetitive Tachinid Fly, Tachina Fly, and Fringe-legged Tachinid Fly

Spiders
 Folding trapdoor spider family such as Turret spider; Tarantula family such as Desert Tarantula; Trapdoor Spider family such as California Trapdoor spider; Dictynid spider family such as Branch-yip spiders; Spitting spider family such as Spitting spiders; Violin Spider family such as Desert Loxosceles, and Violin Spider; Comb-footed Spider family such as American House Spider, and Black Widow Spider; Sheet-web Weaver family such as Hammock Spider; Orb Weaver family such as Orb weavers, barn spider, Garden spider (cross spider), Marbled orb Weaver, Shamrock Spider, Six-spotted Orb-weaver, Silver Argiope, Black-and-Yelley Rgiope, Crablike Spiny Orb Weaver, Bola Spider, Arrow-shaped Micrathena, and Golden-silk spider (calico spider); Large-jawed Orb Weaver family such as Mabel Orchard Spider, Venusta Orchard Spider, Elongate Long-jawed Orb Weaver, and Long-jawed Orb Weaver; Funnel Web Weaver family such as Grass Spiders; Nursery Web Spider family such as Brownish-grey Fishing Spider, Six-spotted Fishing spider, and Nursery Web Spider; Wolf Spider family such as Burrowing Wolf Spiders, Carolina Wolf spider, Forest Wolf spider, rabid wolf spider, and Thin-legged Wolf spider; Lynx Spider family such as Jumping Lynx spider, and green lynx spider; Sac Spider family such as Ant-mimic spiders; Wandering spider family such as Wandering spiders; Giant Crab spider family such as Huntsman spider, and Golden Huntsman spider; Selenopid Crab Spider family such as Selenopid Crab Spider; Crab Spider family such as Goldenrod spider (flower spider, red-spotted Crab Spider), Elegant Crab Spider, Thrice-banded Crab Spider; Philodromid family such as Inconspicuous Crab Spiders; Jumping Spiders such as Green Lyssomanes, Dimorphic Jumping Spider, Metaphid Jumping Spider, Ant-mimic Jumping spider, and Daring Jumping spider Daddy-long-legs family such as Eastern Daddy-long-legs and Brown Daddy-long-legs

Ticks
 Blacklegged tick, Brown dog tick

Millipedes
 Millipedes such as soft millipedes, Florida millipede, Almond millipede, North American millipede and flat millipedes

← 2.875 " →

← 2.875 " →

2.375"

Psyllid, Whiteflies, Aphids, Mealybugs, Scale Insects
 Psyllid family such as American Alder Psyllid; Whitefly family such as Greenhouse Whitefly; Aphid family such as Green Apple Aphid, Rosy Apple Aphid, Rose, Pea and Potato Aphid, Root Aphid, Coudy-winged Cottonwood Aphid, and Giant Willow Aphid; Woolly and Gall-Making Aphid family such as Woolly Apple Aphid; Giant Scale Insects family such as Cottony Cushion Scale; Armored Scale Insects family such as Oyster Shell Scale; Mealybug family such as Long-tailed mealybug; Cochineal Bug family such as Cochineal bug.

IMPORTANT- Directions for Storage and Disposal

Storage
 Keep from freezing. Keep out of reach of children and animals. Store in original containers only. Store in a cool, dry place, preferably in a locked storage area and avoid excess heat. After partial use, replace lids and close tightly. Do not put concentrate or dilute material into drink containers.

Product Disposal
If partially filled: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain. **If empty:** Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available, or dispose of in trash.

7.1383"

Conditions of Sale and Limitation of Warranty and Liability:
NOTICE: Read the entire Directions for Use and Conditions of Sale and Limitation of Warranty and Liability before buying or using this product. If the terms are not acceptable, return the product at once, unopened, and the purchase price will be refunded.

The Directions for Use of this product must be followed carefully. It is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness, or other unintended consequences may result because of such factors as manner of use or application, weather or crop conditions beyond the control of Central Garden & Pet, Garden Division or Seller. All such risks shall be assumed by Buyer and User, and Buyer and User agree to hold Central Garden & Pet, Garden Division and Seller harmless for any claims relating to such factors.

Seller warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the Directions for Use when used in accordance with the directions under normal conditions of use. EXCEPT AS WARRANTED BY THIS LABEL, CENTRAL GARDEN & PET, GARDEN DIVISION MAKES NO WARRANTIES OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE, NOR ANY OTHER EXPRESS OR IMPLIED WARRANTIES WITH RESPECT TO THE SELECTION, PURCHASE, OR USE OF THIS PRODUCT. Any warranties, express or implied, having been made are inapplicable if this product has been contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to (or beyond the control of) seller or Central Garden & Pet, Garden Division, and buyer assumes the risk of any such use.

To the extent consistent with applicable law Central Garden & Pet, Garden Division or Seller shall not be liable for any incidental, consequential or special damages resulting from the use or handling of this product. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER, AND THE EXCLUSIVE LIABILITY OF CENTRAL GARDEN & PET, GARDEN DIVISION AND SELLER FOR ANY AND ALL CLAIMS, LOSSES, INJURIES OR DAMAGES (INCLUDING CLAIMS BASED ON BREACH OF WARRANTY, CONTRACT, NEGLIGENCE, TORT, STRICT LIABILITY OR OTHERWISE) RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, SHALL BE THE RETURN OF THE PURCHASE PRICE OF THE PRODUCT OR, AT THE ELECTION OF CENTRAL GARDEN & PET, GARDEN DIVISION OR SELLER, THE REPLACEMENT OF THE PRODUCT.

This Conditions of Sale and Limitation of Warranty and Liability may not be amended by any oral or written agreement.

2.875"

BASE TEXT
(Underneath Book)

BASE LABEL

